EPM-DK03 Expansion Module

Expansion peripheral modules (EPM) for the V2400 Series

Features and Benefits

- 2 mini PCIe slots for cellular & Wi-Fi expansion
- GPS receiver




Certifications



Introduction

Moxa's EPM-DK03 expansion module comes with a GPS receiver and 2 mini PCIe slots for cellular and Wi-Fi modules, which can be used with Moxa's V2426 embedded computers to give end users the best flexibility for setting up and expanding a variety of industrial applications.

Appearance





Specifications

• WLAN Module				
Module	Slot 1: PCI-Express V1.0 (one lane), USB 2.0 Slot 2: USB 2.0			
Module Antenna Connectors	Connectors x 4 (reserved)			
No. of SIMs	2			
SIM Format	Mini			
GPS Interface				
Receiver Types	50-channel u-blox 6 LEA-6 receiver GPS L1 C/A code GALILEO L1 open service (with upgrade) SBAS: WAAS, EGNOS, MSAS, GAGAN			
Acquisition	Cold Starts: 28 sec Warm starts: 28 sec Aided starts: 1 sec Hot starts: 1 sec			
Sensitivity	Tracking: -160 dBm Reacquisition: -160 dBm Cold Starts: -147 dBm			
Timing Accuracy	RMS: 30 ns 99%: 60 ns Granularity: < 21 ns			
Accuracy	Position: 2.5 m CEP SBAS: 2.0 m CEP			
Protocols	NMEA, UBX binary, max. update rate: 5 Hz (ROM version)			
Time Pulse	0.25 Hz to Hz to 1 kHz MHz			
Velocity Accuracy	0.1 ms			
Heading Accuracy	0.5 degrees			
A-GPS	Supports AssistNow Online and AssistNow Offline, OMA SUPL compliant			
Operational Limits	Velocity: 500 m/s (972 knots)			
Physical Characteristics				
Dimensions (without ears)	104 x 121 x 34 mm (4.09 x 4.76 x 1.34 in)			
Weight	220 g (0.49 lb)			
Environmental Limits				
Operating Temperature	w/o wireless module: -40 to 70°C (-40 to 158°F) w/ wireless module: -25 to 55°C (-13 to 131°F)			

Ordering Information

Model Name	miniPCle Expansion Slots	SIM Slots	RS-232/422/ 485 Ports	CAN Ports	Digital Input Channels	Digital Output Channels	Operating Temp.	Conformal Coating
EPM-DK03	2	1	-	-	-	-	-25 to 55°C	-



 $\ensuremath{\textcircled{}^{\circ}}$ Moxa Inc. All rights reserved. Updated Nov 12, 2018.

This document and any portion thereof may not be reproduced or used in any manner whatsoever without the express written permission of Moxa Inc. Product specifications subject to change without notice. Visit our website for the most up-to-date product information.

