# **ANT-WSB5-ANF-12 Series**

### Omni-directional antennas: 12 dBi at 5 GHz



#### **Features and Benefits**


- · High gain antenna
- · Small size for easy installation
- · Lightweight for portable deployment
- Pole mount
- · N-type (female) connector supported


#### Introduction

The ANT-WSB5-ANF-12 is an omni-directional lightweight compact high-gain antenna that comes with an N-type (female) connector. The antenna provides a gain of 12 dBi at 5 GHz. A wide operating temperature range of -40 to 80°C, IP65-rated housing, and pole-mounting support make it suitable for outdoor use.

#### **Field Patterns**

### Frequency: 5 GHz





### **Specifications**

#### **Antenna Characteristics**

Frequency	5.1 to 5.9 GHz
Antenna Type	Omni-directional
Typical Antenna Gain	12 dBi
Connector	N-type (female)
Impedance	50 ohms



Polarization	Linear
HPBW/Horizontal	360°
HPBW/Vertical	6°
V.S.W.R.	1:1.3 max.
Power Handling	10 W (max.)

### **Physical Characteristics**

Weight	430 g (0.95 lb)			
Length (including base)	420 mm (16.53 in)			
IP Rating	IP65			
Radome Color	White			
Radome Material	Fiberglass			
Installation	Pole mount			

### **Environmental Limits**

Operating Temperature	-40 to 80°C (-40 to 176°F)
Storage Temperature (package included)	-40 to 80°C (-40 to 176°F)
Ambient Relative Humidity	5 to 95% (30°C, non-condensing)


### Warranty


Warranty Period	1 year
Details	See www.moxa.com/warranty

# **Dimensions and Mounting**

**Dimensions** Mounting

Unit: mm







# **Ordering Information**

Model Name	Frequency	Antenna Type	Antenna Gain	Connector
ANT-WSB5-ANF-12	5.1 to 5.9 GHz	Omni-directional	12 dBi	N-type (female)

© Moxa Inc. All rights reserved. Updated Nov 12, 2018.

This document and any portion thereof may not be reproduced or used in any manner whatsoever without the express written permission of Moxa Inc. Product specifications subject to change without notice. Visit our website for the most up-to-date product information.

